



THE CINCINNATI

GALVANIZING COMPANY

CINCINNATI, OHIO

/

SCRANTON, PENNA.

GALVANIZED PAILS

STANDARD WATER PAILS

Hot dipped in molten zinc
Guaranteed to be leakproof.



110

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
108	8	9 $\frac{1}{2}$ "	8 $\frac{3}{4}$ "	1.67 lbs.	12/Bdl.
110	10	10 $\frac{3}{8}$ "	8 $\frac{7}{8}$ "	1.75 lbs.	12/Bdl.
112	12	11"	10 $\frac{1}{4}$ "	2.06 lbs.	12/Bdl.
114	14	11 $\frac{3}{8}$ "	10 $\frac{1}{8}$ "	2.17 lbs.	12/Bdl.

STANDARD PAIL WITH WOOD BAIL

Wood handle for
easy carrying.



1128

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
1088	8	9 $\frac{1}{2}$ "	8 $\frac{3}{4}$ "	1.70 lbs.	12/Bdl.
1108	10	10 $\frac{3}{8}$ "	8 $\frac{7}{8}$ "	1.78 lbs.	12/Bdl.
1128	12	11"	10 $\frac{1}{4}$ "	2.04 lbs.	12/Bdl.
1148	14	11 $\frac{3}{8}$ "	10 $\frac{1}{8}$ "	2.20 lbs.	12/Bdl.

UTILITY PAIL

Hand dipped in molten zinc
Multi purpose pail for all occasions



2104

NUMBER	CAPACITY QTS.	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2104	17	14"	8"	2.40 lbs.	12/Bdl.

MOP WRINGER BUCKETS

Hot dipped. 2 Roller type round, tapered wringer buckets. This bucket can be used for liquid wax application. Ideal for use in small areas.



NUMBER	CAPACITY QTS.	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
9910	10	10 $\frac{3}{4}$ "	9"	4.17 lbs.	6/Ctn.
9912	12	11 $\frac{1}{8}$ "	10"	4.33 lbs.	6/Ctn.
9914	14	11 $\frac{7}{8}$ "	10 $\frac{1}{2}$ "	5.00 lbs.	3/Ctn.

MEDIUM WEIGHT PAILS



2114

Ideal for window washers

MEDIUM WEIGHT PAILS

All pails made of heavy gauge steel.

Leakproof.

Hot dipped in molten zinc after fabrication.

Heavy wire bail handle.

Product and capacity clearly shown on label.



21140

The window washers friend—natural wood grip prevents freezing in winter.

NUMBER	CAPACITY (Quarts)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2112	12	11½"	9⅞"	3.50 lbs.	12
2114	14	11⅝"	10⅝"	3.67 lbs.	12
2116	16	12⅜"	11⅝"	3.83 lbs.	12

NUMBER	CAPACITY (Quarts)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
21120	12	11½"	9⅞"	3.00 lbs.	12
21140	14	11⅝"	10⅝"	3.33 lbs.	12
21160	16	12⅜"	11⅝"	3.67 lbs.	12

HEAVY DUTY & EXTRA HEAVY DUTY PAILS



214



314



514

314 and 514 pails meet U.S. Government specifications. 514 has heavy cross bands for extra strength. Fire pails are all hot dipped—available in round or flat bottom.

NUMBER	CAPACITY (Quarts)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
214	14	11⅝"	10⅝"	4.00 lbs.	12
216	16	12⅜"	11⅝"	4.42 lbs.	12

314	14	11¾"	10½"	5.41 lbs.	12
514	14	11¾"	10½"	6.42 lbs.	12



610

FIRE PAILS

NUMBER	CAPACITY (Quarts)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
610*	10	10⅜"	9"	2.01 lbs.	12
6108	10	10⅜"	9"	1.75 lbs.	12
6128	12	11"	10¼"	2.00 lbs.	12

Hot Dipped in Molten Zinc—Leakproof with Round or Flat Bottoms. Painted Red—Stenciled FIRE.

*Round Bottom.

GALVANIZED TUBS

ALL TUBS. Hand Dipped in molten zinc. Complete line of round and square tubs including a jumbo tub.

ROUND TUBS




NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2100	8 $\frac{1}{4}$	18 $\frac{1}{4}$ "	9 $\frac{3}{4}$ "	4.33 lbs.	6/Bdl.
2101	12	19 $\frac{3}{4}$ "	11"	5.33 lbs.	6/Bdl.
2102	14	22"	11"	6.33 lbs.	6/Bdl.
2103	18	24 $\frac{1}{2}$ "	11 $\frac{1}{2}$ "	7.67 lbs.	6/Bdl.

SQUARE TUBS



NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2201	12	19 $\frac{1}{4}$ " sq.	10 $\frac{7}{8}$ "	6.33 lbs.	6/Bdl.
2202	15	20 $\frac{3}{4}$ " sq.	11 $\frac{3}{8}$ "	6.83 lbs.	6/Bdl.
2203	19	22 $\frac{1}{2}$ " sq.	11 $\frac{7}{8}$ "	8.33 lbs.	6/Bdl.

JUMBO TUBS



NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2433	34	42 $\frac{5}{8}$ " x 23 $\frac{5}{8}$ "	11"	15.67 lbs.	3/Bdl.

SINGLE and DOUBLE DRAIN TUBS and STANDS

Hand dipped in molten zinc—complete with galvanized stand—Eze-roll casters—Redi drain hose.



NUMBER	SHIPPING WEIGHT		PACKED
2321	Single Unit	16.00 lbs. each	1 Unit/Ctn.
2322	Double Unit	27.00 lbs. each	1 Unit 2/Ctns.
2315	Replacement Tubs 6.67 lbs. each		6/Bdl.

TRASH-REFUSE CONTAINERS



4431

4420

4426

4710—10 Gal. Heavy Duty Smooth sided Garbage Pail with bail type handle

HERCULES HEAVY DUTY CANS

Iron strong from top to bottom. Rustproof, Fireproof, Rat-proof, Leakproof. Hand dipped in molten zinc. Heavy steel bands top and bottom. Tight fitting cover with deep lip.

NUMBER	CAPAC. (Gal.)	TOP DIAM.	HEIGHT	APPROX. WT. EA.	PACKED
4420	20	17 $\frac{1}{4}$ "	24 $\frac{1}{2}$ "	17.42 lbs. can & cover 15.00 lbs. can only 2.42 lbs. cover only	— 3 12
4426	26	19 $\frac{1}{8}$ "	25 $\frac{5}{8}$ "	19.83 lbs. can & cover 17.00 lbs. can only 2.83 lbs. cover only	— 3 12
4431	31	20 $\frac{3}{4}$ "	25 $\frac{3}{4}$ "	22.17 lbs. can & cover 19.00 lbs. can only 3.17 lbs. cover only	— 3 12
4710	10	14"	17"	7.87 lbs. can & cover 6.62 lbs. can only 1.25 lbs. cover only	— 6 12



4532

4524

HERCULES EXTRA HEAVY DUTY CANS

Strongest, sturdiest can made. Will withstand years of rugged use. Hand dipped in molten zinc. Leakproof. Body 24 gauge, Bottom 22 gauge. Top band 1 $\frac{1}{4}$ " x $\frac{1}{4}$ ", Bottom band 2" x $\frac{1}{4}$ ". Side handles $\frac{3}{8}$ " wire. Made to Gov't. Spec. No. RR-C82B.

NUMBER	CAPAC. (GAL.)	TOP DIAM.	HEIGHT	APPROX. WT. EA.	PACKED
4510	10 Gal.	14 $\frac{3}{4}$ "	17 $\frac{5}{8}$ "	12.20 lbs. can & cover 9.90 lbs. can only 2.30 lbs. cover only	— 6 12
4524	24 Gal.	19 $\frac{1}{4}$ "	24"	32.16 lbs. can & cover 28.31 lbs. can only 3.85 lbs. cover only	— 3 12
4532	32 Gal.	20 $\frac{3}{4}$ "	27"	37.75 lbs. can & cover 32.42 lbs. can only 5.33 lbs. cover only	— 3 12



48220

48120

48420

48320

SUBURBAN

New 20 gallon vinyl coated colored cans. Vinyl coated over pregalvanized sheet. Rust Resistant.

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
48120 light grey	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	9.33 lbs.	6/Bdl.
48220 mist green	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	9.33 lbs.	6/Bdl.
48320 charcoal black	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	9.33 lbs.	6/Bdl.
48420 brick red	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	9.33 lbs.	6/Bdl.

TRASH-REFUSE CONTAINERS

Made from pregalvanized sheets—
with sturdy bails and lock lid cover



Hand dipped in molten zinc—sturdy
handles with lock lid cover.



No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4204	4	11 $\frac{5}{8}$ "	11 $\frac{1}{2}$ "	3.33 lbs.	12/Bdl.
4205 not corrugated	5 $\frac{1}{2}$	13 $\frac{3}{8}$ "	12 $\frac{3}{4}$ "	4.31 lbs.	12/Bdl.
4206	6	13 $\frac{3}{8}$ "	14 $\frac{1}{2}$ "	4.54 lbs.	12/Bdl.
4210	10	14 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "	5.67 lbs.	6/Bdl.

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4304	4	11 $\frac{5}{8}$ "	11 $\frac{1}{2}$ "	3.59 lbs.	12/Bdl.
4306	6	13 $\frac{3}{8}$ "	14 $\frac{1}{2}$ "	4.75 lbs.	12/Bdl.
4310	10	14 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "	6.42 lbs.	6/Bdl.

Made of pregalvanized sheets—Deep corrugations
for durability—Sturdy set handles—Tight fitting cover

Hand dipped in molten zinc
Full capacity—Sturdy set
handles—Tight fitting cover.



4820



4026



4131

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4820	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	9.17 lbs.	6/Bdl.
4026	26	19 $\frac{3}{4}$ "	24 $\frac{1}{2}$ "	10.59 lbs.	3/Bdl.
4031	31	20 $\frac{1}{2}$ "	25"	11.50 lbs.	3/Bdl.

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4920	20	17 $\frac{3}{8}$ "	24 $\frac{1}{8}$ "	10.13 lbs.	6/Bdl.
4126	26	19 $\frac{3}{4}$ "	24 $\frac{1}{2}$ "	11.70 lbs.	3/Bdl.
4131	31	20 $\frac{1}{2}$ "	25"	13.47 lbs.	3/Bdl.

UTILITY BUSHEL AND GARDEN BASKETS



2510


THE BUSHEL OR UTILITY BASKET

- *Pregalvanized
- **Hot dipped
- †Rope handles

NUMBER	CAPACITY (Bu.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
*2510	1	17 ³ / ₄ "	11 ¹ / ₂ "	4.17 lbs.	6/Bdl.
**2810	1	17 ³ / ₄ "	11 ¹ / ₂ "	4.67 lbs.	6/Bdl.
**†28108	1	17 ³ / ₄ "	11 ¹ / ₂ "	5.00 lbs.	6/Bdl.

THE GARDEN BASKET

Vinyl coated over pregalvanized sheet. Rust resistant. Beautiful green. Bushel size with synthetic rope handles.



25210

NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
25210	1	17 ³ / ₄ "	11 ¹ / ₂ "	4.33 lbs.	6/Bdl.


TRI-WAY SPRINKLERS



6510


Triple purpose sprinkling can. Hand dipped in molten zinc. Two rugged plastic spray heads for large and small sprays.

NUMBER	CAPACITY (Bu.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
6506	6	7 ¹ / ₂ "	7 ⁷ / ₈ "	2.50 lbs.	4/Ctn.
6508	8	7 ¹ / ₂ "	9 ⁷ / ₈ "	3.00 lbs.	4/Ctn.
6510	10	8 ¹ / ₂ "	10 ¹ / ₈ "	3.25 lbs.	4/Ctn.
6512	12	8 ¹ / ₂ "	11 ³ / ₈ "	3.50 lbs.	4/Ctn.




SMALL SPRAY HEAD

Ideal for spot killing weeds with weed killer. Concentrates spray directly on weeds without endangering flowers, young grass and clover.



BIG SPRAY HEAD

For sprinkling gardens, borders, flower boxes—Provides a gentle spray for newly seeded areas and young plants.



PLAIN POURING SPOUT

For filling car radiators, pipe openings or for general use as a utility water can.

RUBBISH BURNERS



4620

Made of pregalvanized sheets and aluminized steel with perforated holes for correct draft and complete burning. Tight Cover to keep ashes from flying about.

GALVANIZED SHEET

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4620	20	17 ³ / ₈ "	25 ¹ / ₈ "	8.91 lbs.	6/Bdl.

ALUMINIZED STEEL

No.	CAPACITY (GAL.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
4520	20	17 ³ / ₈ "	25 ¹ / ₈ "	9.66 lbs.	6/Bdl.



4520

RANCH-FARM-STABLE

HORSE—STOCK WATERING PAILS

EXTRA HEAVY—FLARING PATTERN

Built to meet the rugged requirements of stable or track. Heavy four rivet ears set below rim of pail. Heavy, strong galvanized bail. The finest pail with strength, durability and long service.



2216

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
2216	16	12 ¹ / ₄ "	10 ³ / ₄ "	5.83 lbs.	6/Bdl.
2220	20	13 ³ / ₄ "	10 ⁵ / ₈ "	6.58 lbs.	6/Bdl.

HORSE—STOCK FEEDING TUBS

EXTRA HEAVY—ENTIRELY SEAMLESS—EASY TO CLEAN—WILL NOT RUST

Built to withstand stable use. Fitted with 3 large holes. Can be affixed to corner of stable or corral with halter snaps and screw eyes.



22035

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
22024	24	13 ¹ / ₄ "	9 ⁷ / ₈ "	9.00 lbs.	2/Ctn.
22035	35	16 ³ / ₄ "	10 ¹ / ₄ "	11.00 lbs.	2/Ctn.

DRY MEASURES

Standard Capacity—Heavy, Seamless—Resists Dents.



22004

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
22002	2	7 ⁵ / ₈ "	3 ⁵ / ₈ "	1.33 lbs.	6/Ctn.
22004	4	9"	4 ³ / ₄ "	2.00 lbs.	6/Ctn.

DAIRYWARE




512

CALF FEEDING PAIL

Hand dipped in molten zinc—No sediment sucking. Embossed capacity graduations—Firm, leakproof nipple—Welded steel bracket

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
508	8	10 $\frac{1}{4}$ "	7 $\frac{3}{4}$ "	1.90 lbs.	6/Bdl.
512	12	11 $\frac{3}{8}$ "	9 $\frac{7}{8}$ "	2.45 lbs.	6/Bdl.



8414

* CREAM CAN

Inside plug cover. Plug fits snugly inside can—Wide, flat rim allows stacking—Raised double seamed bottom—Deep foot keeps bottom off floor.

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
8410	10	8 $\frac{3}{4}$ "	14 $\frac{1}{4}$ "	3.25 lbs.	3/Ctn.
8414	14	8 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	3.83 lbs.	3/Ctn.
8420	20	8 $\frac{3}{4}$ "	19 $\frac{1}{2}$ "	4.08 lbs.	3/Ctn.



1112

* SPECIAL BRIGHT TINPLATE PAIL

Reinforced top rim—Double seamed body—Heavy bail—Sturdy riveted ears.

NUMBER	CAPACITY (Qts.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
1112	13	11 $\frac{3}{4}$ "	10 $\frac{1}{8}$ "	2.08 lbs.	12/Ctn.

* Available from Cincinnati only

FUEL CONTAINERS



5305

NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
5305	5	10 ⁷ / ₈ "	11 ³ / ₄ "	4.00 lbs.	4/Ctn.
5358	Spout only			.13 lbs.	12/Ctn.

GASOLINE AND OIL CANS

Galvanized Sheet



5505

5502

5501

NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
5501 (oil)	1	6 ⁵ / ₈ "	9 ¹ / ₁₆ "	1.46 lbs.	12/Ctn.
5502 (oil)	2	8 ³ / ₈ "	11 ¹ / ₈ "	2.42 lbs.	6/Ctn.
5505 (oil)	5	11 ¹ / ₄ "	15 ¹ / ₄ "	4.25 lbs.	4/Ctn.

NUMBER	CAPACITY (Gal.)	TOP DIAMETER	HEIGHT	APPROX. WT. EA.	PACKED
5601 (gas)	1	6 ⁵ / ₈ "	9 ¹ / ₁₆ "	1.46 lbs.	12/Ctn.
5602 (gas)	2	8 ³ / ₈ "	11 ¹ / ₈ "	2.42 lbs.	6/Ctn.
5605 (gas)	5	11 ¹ / ₄ "	15 ¹ / ₄ "	4.25 lbs.	4/Ctn.

OFFICE WASTE BASKETS



gray 81126 olive green 81226 brown 81326



gray 82126 olive green 82226 brown 82326



gray 83126 olive green 83226 brown 83326

Round-Corrugated and Plain-Heavy Duty Office Baskets. Available in gray, olive green and brown.

Color & Number	Capacity (qt.)	Top Diameter (Inches)	Height (Inches)	Approx. Wt. Each (lbs.)	Per Carton
gray 81126	26	13 ¹ / ₂	14 ¹ / ₂	2.50	12
olive green 81226					
brown 81326					
gray 82126	26	13 ¹ / ₂	14 ¹ / ₂	2.50	12
olive green 82226					
brown 82326					
gray * 83126	26	13 ¹ / ₂	14 ¹ / ₂	4.33	6
olive green * 83226					
brown * 83326					

*Made to Government Specifications



THE CINCINNATI GALVANIZING COMPANY

4879 Spring Grove Avenue
CINCINNATI, OHIO 45232
Phone (513) 542-1442



Scranton-Keystone Industrial Park
P. O. Box 158 Dunmore Branch
SCRANTON, PENNA. 18512
Phone (717) 346-7792